

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:

Yiv et al.

Examiner:

Not yet assigned

Serial No.:

09/960,464

Group Art Unit:

1614

Filed:

9/19/01

Docket No.:

12152.49USW1

Title:

QUINAZOLINE FORMULATIONS AND THERAPEUTIC USE

THEREOF

CERTIFICATE UNDER 37 CFR 1.8: The undersigned hereby certifies that this correspondence and the paper(s), as described herein, are being deposited in the United States Postal Service, as first class mail, with sufficient postage, in an envelope addressed to: Commissioner for Patents, Washington, D.C. 20231, on January 2002.

Karen Olsen

INFORMATION DISCLOSURE STATEMENT (37 C.F.R. § 1.97(b))

Commissioner for Patents Washington, D.C. 20231

Dear Sir:

With regard to the above-identified application, the items of information listed on the enclosed Form 1449 are brought to the attention of the Examiner. At least some of the references were recently cited in an International Search Report mailed 8/11/2000.

This statement should be considered because it is submitted before the mailing date of a first Office Action on-the-merits. Accordingly, no fee is due for consideration of the items listed on the enclosed Form 1449.

In accordance with 37 C.F.R. §1.98(a)(2), a copy of each document or other information listed on the enclosed Form 1449 is provided. Enclosed for the Examiner's information is a copy of the International Search Report.

No representation is made that a reference is "prior art" within the meaning of 35 U.S.C. §§ 102 and 103 and Applicants reserve the right, pursuant to 37 C.F.R. § 1.131 or otherwise, to establish that the reference(s) are not "prior art." Moreover, Applicants do not represent that a reference has been thoroughly reviewed or that any relevance of any portion of a reference is intended.

Consideration of the items listed is respectfully requested. Pursuant to the provisions of M.P.E.P. 609, it is requested that the Examiner return a copy of the attached Form 1449, marked

as being considered and initialed by the Examiner, to the undersigned with the next official communication.

Please charge any additional fees or credit any overpayment to Deposit Account No. 13-2725.

Respectfully submitted, MERCHANT & GOULD P.C. P.O. Box 2903 Minneapolis, MN 55402-0903 612.332.5300

Date: |- |5-02

Brian C. Whipps Reg. No. 43,261

23552
PATENT TRADEMARK OFFICE

ı	14
Date Mailed:	January 2002



FORM 14 P P STORMATION DISCLOSURE STATEMENT				t Number: .49USW1		pplicati 9/960,4		문 문		
JAN 2 4 2002 E IN AN APPLICATION				Applic	cant: Yiv et al.				EN EN	A
	V- /	if necessary)		Filing	Date: 9/19/01	G	roup A	t Unit: 1615		:0
TRADEM!	M. C. C.					•		_		> 2007
			U.S. PATENT DOCUM	MENTS					<u> </u>	3]
EXAMINER INITIAL	DOCUMENT NO.	DATE	NAME		CLASS	SUBCLA	ss	FILI IF APPRO	DATE	TE
	Re 36,256	7/20/1999	Spada et al.							- 12
	3,850,939	11/26/1974	Elslager et al.						-	
	3,970,725	7/20/1976	Tugukuni et al.					<u></u>		
	4,938,949	7/3/1990	Borch et al.							
	4,992,271	2/12/1991	Fernandes et al.							
	5,069,906	12/3/1991	Cohen et al.							
	5,198,333	3/30/1993	Dewanckele et al.							
	5,314,685	5/24/1994	Tyle et al.							
	5,411,963	5/2/1995	Dreikorn et al.			<u> </u>				
	5,449,678	9/12/1995	Pines et al.							
	5,457,105	10/10/95	Barker		-					
	5,468,898	11/21/1995	Huang et al.		-					
	5,712,237	2/24/1998	Myers et al.						-	
	5,792,771	8/11/1998	App et al.	-			-			

		FO	REIGN PATENT DO	CUMEN	TS		•			
<u>, , , , , , , , , , , , , , , , , , , </u>	DOCUMENT NO.	DATE	COUNTRY		CLASS	SUBCLA	.ss	TRANSI	_ATIO	N
							ſ	YES	١	10
		i .	T						$\overline{}$	

DOCUMENT NO.	DATE	COUNTRY	CLASS	SUBCLASS	TRANS	LATION
					YES	NO
0 082 385	12/4/1982	Europe				
WO 94/03157	7/23/1993	PCT				
WO 95/07696	8/30/1994	PCT				
WO 95/15758	12/8/1994	PCT				
WO 95/24190	3/6/1995	PCT				
WO 95/31969	4/28/1995	PCT				
WO 96/06616	8/29/1995	PCT				
 WO 96/22976	12/22/1995	PCT				
WO 96/33745	4/17/1996	PCT				
WO 96/39143	6/4/1996	PCT				
 · · · · · · · · · · · · · · · · · · ·						

DATE CONSIDERED

Date Mailed: January , :	2002

l			
Sheet	2	of	6

FORET	2 4 2002 48
130	- A CONTRACTOR

QRMATION DISCLOSURE STATEMENT

IN AN APPLICATION

Use	several	sheets	if necessar	v`

WO 96/40113

6/7/1996

Applicant

PCT

Danel et al., 1997, *ActaChemica Scandinavica*, 51(3):426-430 Anti-HIV Active Naphthyl Analogues of HEPT and DABO

D'Cruz et al., 1995, Biology of Reproduction, 53(5):1118-1130

D'Cruz et al., 1998, Biology Reproduction, 4(7), pp. 683-693

Danel et al., 1998, J. Med. Chem., 41:191-198

Darnell et al., Science, Vol. 264, pp. 1415-1421

to Human Sperm

Docket Number: Application Number: 12152.49USW1 09/960,464

Applicant: Yiv et al.

Filing Date: 9/19/01 Group Art Unit: 1615

110 30/401		0///1990	161			1	ಹ
WO 96/401	16	6/5/1996	PCT				
WO 96/4064	48	6/4/1996	PCT				
WO 98/3898	84	3/4/1998	PCT				
 WO 98/5128	84	5/12/1998	PCT				
WO 99/1032	25	8/4/1998	PCT				
 ŴO 99/3600	53	2/20/1998	PCT				
 •	отні	ER DOCUMEN	TS (Including Author, Title, Dat	e, Pertinent Pag	es, Etc.)		
	Andrews et a	al., <i>J. American V</i>	eterinary Medicine Association,	Vol. 202, No.	4, pp. 229-249, 199	3	
	Report of the	e AVMA Panel o	f Euthanasia			٠	
	Augenbraun MH, et al., Infect Dis Clin North Am, 1994; 8:439-48 Sexually Transmitted Diseases in HIV-Infected Persons						
	Brassinne et	al., <i>JNCI</i> , Vol. 7	0, No. 6, pp. 1081-1087				
	Antitumor Activity of a Water-Insoluble Compound Entrapped in Liposomes on L1210 Leukemia in Mice						
	Castle et al., Biol. Reprod., 1997, 56:153-159 Contraceptive Effect of Sperm-Agglutinating Monoclonal Antibodies in Rabbits						
	Castle et al.,	Contraception, 1	1998, 58:51-60				
 			inal Agents in Rabbits				
			ol., 3, No. 1, pp. 1-7				
	Inflammation and Oxidative Stress in Carcinogenesis						
	Chantler E., Brit Fam Plann, 1992;17:118-9 Vaginal spermicides: some current concerns						
	Charman et	al., <i>Pharmaceutic</i>	cal Research, Vol. 9, No. 1, pp. 8	37-93, 1992			
	Self-Emulsif Compound	ying Drug Delive	ery Systems: Formulation and E	iopharmaceutio	Evaluation of an II	nvestigational L	ipophilic
		•	cal Research, Vol. 12, No. 11, pp				
 _	Lipid Micro	emulsions for Im	proving Drug Dissolution and O	ral Absorption:	Physical and Biop	harmaceutical A	spects

EXAMINER	DATE CONSIDERED
	

Spermicidal Activity of Chelated Complexes of bis(cyclopentadienyl)vanadium(IV)

Synthesis and Anti-HIV-1 Activity of Novel 2,3-Dihydro7H-thiazolo[3,2- α]pyrimidin-7-ones

Jak-STAT Pathways and Transcriptional Activation in Response to IFNs and Other Extracellular Signaling Proteins

B2-Integrein (CD11b/CD18) is the Primary Adhesive Glycoprotein Complex Involved in Neutrophil-Mediated Immune Injury

Date Mailed: January, 2002		Sheet 3 of 6	7
FORM(1)49+ P INFORMATION DISCLOSURE STATEMENT	Docket Number: 12152.49USW1	Application Number:	E C
JAN 2 4 2002 E IN AN APPLICATION	Applicant: Yiv et al.	 	~ []
(Use several sheets if necessary)	Filing Date: 9/19/01	Group Art Unit: 1	<u> </u>
RADEMARIKO		/290(3 TI
D'Cruz et al., 1998, Biology Reproduction, 5	8:1515-1528		

	D'Cruz et al., 1998, Biology Reproduction, 58:1515-1528
	Spermicidal Activity of Metallocene Complexes Containing Vanadium(IV) in Humans
	D'Cruz et al., 1998, Biology Reproduction, 59:503-515
	Aryl Phosphate Derivatives of Bromo-Methoxy-Azidothymidine Are Dual-Function Spermicides with Potent Anti-Human Immunodeficiency Virus
	D'Cruz et al., 1999, Biology of Reproduction, 60:1419-1428
	Novel Derivatives of Phenethyl-5-Bromopyridylthiourea and Dihydroalkoxybenzyl-oxopyrimidine Are Dual-Function Spermicides with Potent Anti-Human Immunodeficiency Virus Activity
	D'Cruz et al., 1999, Biology Reproduction, 60(2), pp. 345-444
ł	Spermicidal activity of oxovanadium(IV) complexes of 1, 10-phenanthroline, 2,2'-bipyridyl, 5'-bromo-2hydroxyacetophenone and derivatives in humans
	D'Cruz et al., Biol. Reprod., 2001, 64(1), 51-59 Thymidine Kinase-Independent Intracellular Delivery of Bioactive Nucleotides by Aryl Phosphate Derivatives of Bromo-Methoxy Zidovudine (Compounds WHI-05 and WHI07) in Normal Human Female Genital Tract Epithelial Cells and Sperm
	D'Cruz et al., Biology of Reproduction, Vol. 62, pp. 37-44, 2000
	Structural Requirements for Potent Human Spermicidal Activity of Dual-Function Aryl Phosphate Derivative of Bromo-Methoxy Zidovudine (Compound WHI-07)
	D'Cruz et al., Contraception, 1999, 59(5):319331 WHI-05, a Novel Bromo-methoxy Substituted Phenyl Phosphate Derivative of Zidovudine, Is a Dual-Action Spermicide with Potent Anti-HIV Activity
	D'Cruz et al., Contraception, 2000, 61(1), 69-76 Evaluation of Subchronic (13 Weeks) and Reproductive Toxicity Potential of Intravaginal Gel-Microemulsion Formulation of a Dual-Function Phenyl Phosphate Derivative of Bromo-Methoxy Zidovudine (Compound WHI-05) in B ₆ C ₃ F ₁ Mice
	D'Cruz et al., <i>Molecular Human Reproduction</i> , Vol. 5, No. 5, pp. 421-432, 1999 Synthesis, characterization and preclinical formulation of a dual-action phenyl phosphate derivative of bromo-methoxy zidovudine (compound WHI-07) with potent anti-HIV and spermicidal activities.
	de Jong, <i>Therapie</i> , 1999, 54:11-14 The safety of pharmaceutical excipients
	Diehl et al., J. Virol, 1995, 69:2328-2332 Longitudinal Assessment of Feline Immunodeficiency Virus Kinetics in Plasma by Use of a Quantitative Competitive Reverse Transcriptase PCR
	Digenis GA, et al., Pharm Dev Technol, 1999;4:421-30
	Novel Vaginal Controlled-Delivery Systems Incorporating Coprecipitates of Nonoxynol-9
	Eccleston GM, In: Swarbrick J. Boylan JC, eds. Encyclopedia of Pharmaceutical Technology, NY, Marcel Dekker, 1992:375-421 Microemulsions
	Eckstein et al., J. Reprod Fertil., 1969, 20:85-93 Comparison of Vaginal Tolerance Tests of Spermicidal Preparations in Rabbits and Monkeys
	Fischer et al., Science, Vol. 253, No. 5018, pp. 401-406, 1991
	Protein Tyrosine Phosphatases: A Diverse Family of Intracellular and Transmembrane Enzymes
	Folkman, Journal of the National Cancer Institute, Vol. 82, No. 1, pp. 4-6
	What is the Evidence that Tumors are Angiogenesis Dependent?
	Furuse K, et al., J Pharmacobiodyn, 1983;6:35972
	Studies on Spermicidal Activity of Surfactants Greene et al., ARch Virol, 1993, 133:51-62
	Extensive sequence variation of feline immunodeficiency virus env genes in isolates from naturally infected cats
	Hamawy et al., Cellular Signalling, 7:535-544 Protein Tyrosine Phosphorylation as a Mechanism of Signalling in Mast Cells and Basophils
	Heidin, Cell, Vol. 80, pp. 213-223, 1995

EXAMINER	DATE CONSIDERED

Sheet 4	of 6	ECHC	11.	RE
A	plication Nu	ımb	Ź	
09	/960,464	젊	2	П
				
		စ္တ	12	

Group Art Unit: 15

Docket Number:

12152.49USW1

Applicant: Yiv et al.

Filing Date: 9/19/01

IAM 2 4 2007 P IN AN APPLICATION

(Use several sheets if necessary)

	Dimerization of Cell Surface Receptors in Signal Transduction
	Helenious A, et al., Biochem Biophys Acta, 1975;415:29-79 Solubilization of Membranes by Detergents
	Hira et al., International Journal of STD & AIDS, Vol. 8, pp. 243-250, 1997
	Condom and nonoxynol-9 use and the incidence of HIV infection in serodiscordant couples in Zambia
	Hooten TM, et al., JAMA, 1991;265:64-9 Escherichia coli Bacteriuria and Contraceptive Method
	Hunter, Cell, Vol. 58, pp. 1013-1015, 1989
	Protein-Tyrosine Phosphatases: The Other Side of the Coin
	Hynes et al., Journal of Heterocyclic Chemistry, Vol. 25, No. 4, pp. 1173-1177, 1988
Ì	Direct Synthesis of 2,4-Diaminoquinazolines from 2-Fluorobenzonitriles
	Hynes et al., Journal of Heterocyclic Chemistry, Vol. 28, No. 5, pp. 1357-1363, 1991
	Further Studies on the Synthesis of Quinazolines from 2-Fluorobenzonitriles
	International Search Report, PCT/US 00/07066, 8/11/2000
	International Search Report, PCT/US 00/07419, 9/7/2000
	Katz et al., Proc. Nat'l, Acad. Sci U.S.A., 1991, 88:1082540829 Antiviral activity of 1-docosanol, an inhibitor of lipid-enveloped viruses including herpes simplex
	Klagsbrun et al., Current Biology, Vol. 3, No. 10, pp. 699-702, 1993
	VEGF/VPF: the angiogenesis factor found?
	Kreiss et al., JAMA, Vol. 268, pp. 477-482, 1998
	Efficacy of Nonoxynol 9 Contraceptive Sponge Use in Preventing Heterosexual Acquisition of HIV in Nairobi Prostitutes
	Kulig JW, Ped Clinic North Am, 1989;36:717-30 Adolescent Contraception: Nonhormonal Methods
	Kumar et al., 1994, J. Med. Chem., 37:4297-4306 Synthesis, in Vitro, Biological Stability, and Anti-HIV Activity of 5-Halo-6-alkoxy(or azido)-5,6dihydro-3'-azido-3'-deoxythymidine Diastereomers as Potential Prodrugs to 3'-Azido-3'-deoxythymidine (AZT)
	Lundberg, J. Pharm Pharmacol, 1997, 49:16-21 A Submicron Lipid Emulsion Coated with Amphipathic Polyethylene Glycol for Parenteral Administration of Paclitaxel (Taxol)
	Mai et al., 1997, J. Med. Chem., 40(10):14471454
	Dihydro(alkylthio)(naphthylmethyl)oxopyrimidines: Novel Non-Nucleoside Reverse Transcriptase Inhibitors of the S-DABO Series
	Malaviya et al., 1999, J. Bio. Chem., 274(38) 2702827038
	Targeting Janus Kinase 3 in Mast Cells Prevents Immediate Hypersensitivity Reactions and Anaphylaxis
	McGuigan et al., 1993, J. Med. Chem, 36:1048-1052 Intracellular Delivery of Bioactive AZT Nucleotides by Aryl Phosphate Derivatives of AZT
	Mendez F, et al., Contraception, 1986;34:353-62 Use Effectiveness of a Spermicidal Suppository Containing Benzalkonium Chloride
	Murhammer et al., Biotechnology Progress, 1990, Vol. 6, pp. 391-397
	Sparged Animal Cell Bioreactors: Mechanism of Cell Damage and Pluronic F-68 Protection
	Narla et al., Clin. Cancer Res., 1998, 4:1405-1414 4-(3'-Bromo-4'hydroxylephenyl)-amino-6,7-dimethoxyquinazoline: A Novel Quinazoline Derivative with Potent Cytotoxic Activity against Human Glioblastoma Cells
	Narla et al., Clin. Cancer Res., 1998, 4:2463-2471 Inhibition of Human Glioblastoma Cell Adhesion and Invasion by 4-(4'-Hydroxylphenyl)-amino-6, the third interpretation (WHI-P131) and 4-(3'-Bromo-4'hydroxylphenyl)-amino-6, the third interpretation (WHI-P154)

EXAMINER	DATE CONSIDERED	

	Sheet 5 of 6	8 天	_	E E
Docket Number: 12152.49USW1	Application N 09/960,464	Viller:	2 .0 &	CE
Applicant: Yiv et al.		8	200	\leq
Filing Date: 9/19/01	Group Art Ur	11561	, 7	

NFORMATION DISCLOSURE STATEMENT

IN AN APPLICATION

(Use several sheets if necessary)

MADEMAN	Nerukar et al., Pharmaceutical Research, 1996, 13:528-534
	The Use of Surfactants to Enhance the Permeability of Peptides Through Caco-2 Cells by Inhibition of an Apically Polarized Efflux System
	Niruthisard et al., Sexually Transmitted Diseases, Vol. 18, No. 3, pp. 176-179
	The Effects of Frequent Nonoxynol-9 Use on the Vaginal and Cervical Mucosa
	Nomoto et al., 1990, Chem. Pharm. Bull., 38(6):1591-1595
	Studies on Cardiotonic Agents. 1. Synthesis of Some Quinazoline Derivatives
	Nomoto et al., Chem. Pharm Bull., 1990, 38:1591-1595 Studies on Cardiotonic Agents. I. Synthesis of Some Quinazoline Derivatives Okada et al., AIDS Res. Hum Retroviruses, 1994, 10:173946
	Superinfection of Cats with Feline Immunodeficiency Virus Subtypes A and B OTC Panel, Federal Register, 1980;45:82014-49
	Ozawa et al, 1993, J. Bio. Chem., 268(3):1749-1756
	Ca ²⁺ -dependent and Ca ²⁺ -independent Isozymes of Protein Kinase C Mediate Exocytosis in Antigen-stimulated Rat Basophilic RBL-2H3 Cells
	Patton DL, et al., Sex Trans Dis, 1996, 23:489-93 The Vaginal Microflora of Pig-Tailed Macaques and the Effects of Chlorhexidine and Benzalkonium on this Ecosystem
	Pawson, Nature, Vol. 373, No. 6515, pp. 573580, 1995
	Protein modules and signalling networks
	Plate et al., <i>Nature</i> , Vol. 359, No. 6398, pp. 845-848, 1992
	Vascular endothelial growth factor is a potential tumor angiogenesis factor in human gliomas in vivo
	Pot et al., Biochimica et Biophysica Acta, Vol. 1136, pp. 35-43, 1992
	A thousand and two protein tyrosine phosphatases
	Pouton, Int'l J. of Pharmaceutics, No. 27, pp. 335-348, 1985
	Self-emulsifying drug delivery systems: assessment of the efficiency of emulsification
	Raymond et al., Obstet Gynecol, 1999, 93:896-903 Contraceptive Effectiveness of Two Spermidides: A Randomized Trial
	Rekart ML, Defic Syndr, 1992;5:425-27
	The Toxicity and Local Effects of the Spermicide Nonoxynol 9 Rey et al., Biochem Biophys. Res. Commun., 1984, 121:12633
	Characterization of the RNA Dependent DNA Polymerase of a New Human T Lymphotropic Retrovirus (Lymphadenopathy Associated Virus)
	Ritschel, Methods and Findings in Experimental and Clinical Pharmacology, 1993, 13:205-20
	Microemulsions for Improved Peptide Absorption from the Gastrointestinal Tract Roddy RE, et al., Int J STD & HIV, 1993;4:16570
	A dosing study of nonoxynol-9 and genital irritation
	Roddy RE, et al., N Engl J Med, 1998;339:50410 A Controlled Trial of Nonoxynol 9 Film to Reduce Mail-to-Female Transmission of Sexually Transmitted Diseases
	Rosenstein IJ, et al. <i>J Infect Dis</i> , 1998;177:138690 Effect on Normal Vaginal Flora of Three Intravaginal Microbicidal Agents Potentially Active Against Human Immunodeficiency Virus Type 1
	Saito et al., Cell Growth & Differentiation, Vol. 2, pp. 59-65, 1991
	Molecular Characterization of Protein Tyrosine Phosphatases
	Sander et al., Hum. Fertil, 1941, 6:134-137
	A Practical Method for Testing the Spermicidal Action of Chemical Contraceptives Schill WB, et al., Andrologia, 1981;13:42-9
	Ultrastructure of Human Spermatozoa in the Presence of the Spermicide Nonoxinol-9 and a Vaginal Contraceptive Containing Nonoxinol-9

	<u> </u>
EXAMINER	DATE CONSIDERED

FORM 1449*

Docket Number:

12152.49USW1

Applicant: Yiv et al. Filing Date: 9/19/01

INFORMATION DISCLOSURE STATEMENT

	Schlessinger et al., Neuron, Vol. 9, pp. 383-391, 1992
	Growth Factor Signaling by Receptor Tyrosine Kinases
	Schwinn et al., Journal of Radioanalytical and Nuclear Chemistry, Vol. 232, Nos. 1-2, pp. 35-37, 1998
	The effects of a thio-containing quinazolinedione derivative (MECH) on the lipid oxidation in bilayer liposomes
	Stafford MK, J Acquir Immune Defic Syndr Hum Retrovirol, 1998;17:32731 Safety Study of Nonoxynol-9 as a Vaginal Microbicide: Evidence of Adverse Effects
	Sutherland, Trends in Biology, 1998, Vol. 16, pp. 41-46
	Novel and Established Applications of Microbial Polysaccharides
	Taylor et al., Annual Review, Cell Biology, Vol. 8, pp. 429-462, 1992
	Structural Framework for the Protein Kinase Family
	Tellier et al., Veterinary Microbiology, 1997, Vol. 57, p. 1-11
	Development of FIV-specific Cytolytic T-lymphocyte Responses in Cats Upon Immunisation with FIV Vaccines
	Tenjaria, Crit. Rev. Ther. Drug Carrier, 1999, 16:461-521
	Microemulsions: An Overview and Pharmaceutical Applications Trussell J, et al. Stud Fam Plann, 1987;18:23783
	Contraceptive Failure in the United States: A Critical Review of the Literature
	Uckun et al., 1985, <i>Blut</i> , 50:19-23 Ex vivo elimination of neoplastic T-Cells from Human Marrow Using an Anti-M, 41,000 Protein Immunotoxin: Protentiation by ASTA Z7557
	Vig et al., 1998, Bioorganio & Medicinal Chemistry Letters 8:1461-1466
	5-Alkyl-2-[(Methylthiomethyl)Thio]-6-(Benzyl)-Pyrimidine-4-(1H)-Ones as Potent Non-nucleoside Reverse Transcriptase Inhibitors of S-DABO Series
	Vig et al., 1998, Bioorganic & Medicinal Chemistry, 6:1789-1797 Rational Design and Synthesis of Phenethyl-5-bromopyridyl Thiourea Derivatives as Potetn Non-nucleoside Inhibitors of HIV Reverse Transcriptase
	Weir et al., Genitourin Med., Vol. 71, pp. 78-81, 1995
	Nonoxynol-9 use, genital ulcers, and HIV infection in a cohort of sex workers
	Woodcock et al., Cancer Res., 1990, 50:4199-4203 Reveral of the Multidrug Resistance Phenotype with Cremophor EL, a Common Vehicle for Water-insoluble Vitamins and Drugs
	Yiv et al., Abstracts of Papers American Chemical Society, Vol. 217, pp. 148, 1999
	Microemulsion, liposome and mixed micellar formulations for a poorly water soluble quinazoline derivative
	Yiv et al., Abstracts of Papers American Chemical Society, Vol. 217, No. 12, pp. 015, 1999
	Development of a vaginal cream for a novel anti-HIV spermicide.
ı I	



EXAMINER

DATE CONSIDERED